

Aquaculture

VOL. 314 NOS. 1-4

CONTENTS

4 APRIL 2011

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®.
Full text available in ScienceDirect®

Diseases

- Gastric cryptosporidiosis in farmed Australian Murray cod, *Maccullochella peelii peelii*
R. Baragahare, J.A. Becker (Sydney, NSW, Australia), M. Landos (Lennox Head, NSW, Australia), J. Šlapeta and M.M. Dennis (Sydney, NSW, Australia) 1
- A baseline method for benchmarking mortality losses in Atlantic salmon (*Salmo salar*) production
S. Soares, D.M. Green, J.F. Turnbull, M. Crumlish (Stirling, United Kingdom) and A.G. Murray (Aberdeen, United Kingdom) 7
- Interaction between white spot syndrome virus VP26 and hemocyte membrane of shrimp, *Fenneropenaeus chinensis*
B. Liu, X. Tang and W. Zhan (Qingdao, PR China) 13
- Effect of parasitism on vaccine efficacy against *Streptococcus iniae* in Nile tilapia
M.L. Martins (Florianópolis, Brazil), C.A. Shoemaker, D. Xu and P.H. Klesius (Auburn, AL, USA) 18
- Histological and bacteriological changes in intestine of beluga (*Huso huso*) following ex vivo exposure to bacterial strains
W. Salma (Norway), Z. Zhou, W. Wang (Beijing, PR China), F. Askarian (Norway), A. Kousha (Norway; Iran), M.T. Ebrahimi (Iran), R. Myklebust (Bergen, Norway) and E. Ringø (Norway) 24
- Improved preventive and curative effects of YHV infection in *Penaeus monodon* by a combination of two double stranded RNAs
P. Posiri, C. Ongvarrasopone (Nakhon Pathom, Thailand) and S. Panyim (Nakhon Pathom, Bangkok, Thailand) 34
- Protection of olive flounder, *Paralichthys olivaceus*, against viral hemorrhagic septicemia virus (VHSV) by immunization with NV gene-knockout recombinant VHSV
M.S. Kim and K.H. Kim (Busan, South Korea) 39
- Estimation of epidemiological cut-off values for disk diffusion susceptibility test data for *Streptococcus phocae*
R. Avendaño-Herrera (Viña del Mar, Chile), A. Molina (Santiago, Chile), B. Magariños, A.E. Toranzo (Spain) and P. Smith (Ireland) 44
- Detection of Type 1 Ostreid Herpes variant (OsHV-1 μ var) with no associated mortality in French-origin Pacific cupped oyster *Crassostrea gigas* farmed in Italy
W.G. Dundon (Legnaro, Italy), I. Arzul, E. Omnes, M. Robert (La Tremblade, France), C. Magnabosco, M. Zambon (Adria, Italy), L. Genna (Perugia, Italy), A. Toffan, C. Terregino, I. Capua (Legnaro, Italy) and G. Arcangeli (Adria, Italy) 49
- Proteomic analysis of differentially expressed proteins in hemolymph of *Scylla serrata* response to white spot syndrome virus infection
W. Liu (Ningbo, Huzhou, China), D. Qian (Huzhou, China) and X. Yan (Ningbo, China) 53

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- Table of Contents NOW WITH ABSTRACTS
- Full Search on Abstracts, Authors and Keywords
- Author and Subject Index

Bookmark: <http://www.elsevier.com/locate/aqua-online>
or <http://www.elsevier.com/locate/aqua-online>



0044-8486(20110404)314:1-4;1-Y

Available online at www.sciencedirect.com

ScienceDirect



Genetics

- Assessment of parental contributions to fast- and slow-growing progenies in the sea bream *Sparus aurata* L. using a new multiplex PCR
Y.J. Borrell (Oviedo, Spain), V. Gallego (Valencia, Spain), C. García-Fernández (Oviedo, Spain), I. Mazzeo, L. Pérez, J.F. Asturiano (Valencia, Spain), C.E. Carleos, E. Vázquez, J.A. Sánchez and G. Blanco (Oviedo, Spain). 58
- Estimates of genetic variation in the susceptibility of Atlantic salmon (*Salmo salar*) to the salmon louse *Lepeophtheirus salmonis*
B. Gjerde, J. Ødegård (Ås, Norway) and I. Thorland (Sunndalsøra, Norway) 66
- Quantitative expression of shell matrix protein genes and their correlations with shell traits in the pearl oyster *Pinctada fucata*
L. Zhang (Guangzhou, Beijing, China) and M. He (Guangzhou, China). 73
- From theory to practice: Empirical evaluation of the assignment power of marker sets for pedigree analysis in fish breeding
M. Vandeputte (Jouy-en-Josas, Palavas-les-Flots, France), M.-N. Rossignol (Jouy-en-Josas, France) and C. Pincet (Rennes, France) 80
- Modeling ecological carrying capacity of shellfish aquaculture in highly flushed temperate lagoons
C. Byron (Kingston, RI, Portland, ME, USA), J. Link (Woods Hole, MA, USA), B. Costa-Pierce (Kingston, Narragansett, RI, USA) and D. Bengtson (Kingston, RI, USA) 87

Nutrition

- Development of a test diet for assessing the bioavailability of arginine in feather meal fed to rainbow trout (*Oncorhynchus mykiss*)
D.A. Poppi, V.M. Quinton, K. Hua and D.P. Bureau (Guelph, Ontario, Canada) 100
- The use of caraway seed meal as a feed additive in fish diets: Growth performance, feed utilization, and whole-body composition of Nile tilapia, *Oreochromis niloticus* (L.) fingerlings
M.H. Ahmad and M. Abdel-Tawwab (Sharqia, Egypt) 110
- Effects of suspended sediment on cortisol levels in wild and cultured strains of ayu *Plecoglossus altivelis*
S. Awata, T. Tsuruta (Ueda, Japan), T. Yada (Nikko, Japan) and K. Iguchi (Ueda, Japan) 115
- Inclusion of crude palm oil in the broodstock diets of female Nile tilapia, *Oreochromis niloticus*, resulted in enhanced reproductive performance compared to broodfish fed diets with added fish oil or linseed oil
W.-K. Ng and Y. Wang (Penang, Malaysia) 122
- Sustainable aquafeeds: Progress towards reduced reliance upon marine ingredients in diets for farmed Atlantic salmon (*Salmo salar* L.)
E.A. Bendiksen (Trondheim, Norway), C.A. Johnsen (Bodø, Norway), H.J. Olsen (Trondheim, Norway) and M. Jobling (Tromsø, Norway) 132
- Cholesterol supplements for *Litopenaeus vannamei* reared on plant based diets in the presence of natural productivity
T.C. Morris, T.M. Samocha (Corpus Christi, TX, United States), D.A. Davis (Auburn, AL, United States) and J.M. Fox (Corpus Christi, TX, United States) 140
- Effect of stachyose, raffinose and soya-saponins supplementation on nutrient digestibility, digestive enzymes, gut morphology and growth performance in Atlantic salmon (*Salmo salar*, L.)
M. Sørensen (Ås, Aas, Norway), M. Penn (Oslo, Norway), A. El-Mowafi (Dirdal, Norway), T. Storebakken (Ås, Norway), C. Chunfang (Suzhou, PR China), M. Øverland (Ås, Norway) and A. Kroghdahl (Oslo, Norway) 145

Physiology and Endocrinology

- Evidence that 1-methyl-L-tryptophan is a food-related odorant for the Senegalese sole (*Solea senegalensis*)
Z. Velez (Faro, Évora, Portugal; Hull, UK), P.C. Hubbard (Faro, Portugal), J.D. Hardege (Hull, UK), K.J. Welham (Hull, UK), E.N. Barata (Faro, Évora, Portugal) and A.V.M. Canário (Faro, Portugal) 153
- Moderate exercise of rainbow trout induces only minor differences in fatty acid profile, texture, white muscle fibres and proximate chemical composition of fillets
R.S. Rasmussen (Hirtshals, Denmark), M.T. Heinrich, G. Hyldig, C. Jacobsen (Lyngby, Denmark) and A. Jokumsen (Hirtshals, Denmark) 159
- Staging of initial pepsinogen and chitinase expression and complete gastric gland development within the larval stomach of Japanese flounder, spotted halibut, seven-band grouper and greater amberjack
X. Wu, Y. Washio (Sendai, Japan), M. Aritaki (Nagasaki, Japan), Y. Fujinami, D. Shimizu (Iwate, Japan), H. Hashimoto (Kagoshima, Japan), T. Iwasaki (Ooita, Japan), S. Uji (Mie, Japan) and T. Suzuki (Sendai, Japan) 165
- Welfare status of cage farmed European sea bass (*Dicentrarchus labrax*): A comparison between submerged and surface cages
G. Maricchiolo, S. Mirto, G. Caruso, T. Caruso (Messina, Italy), R. Bonaventura, M. Celi, V. Matranga (Palermo, Italy) and L. Genovese (Messina, Italy) 173
- Mutation breeding in the marine crop *Porphyra yezoensis* (Bangiales, Rhodophyta): Cultivation experiment of the artificial red mutant isolated by heavy-ion beam mutagenesis
K. Niwa (Hyogo, Japan), T. Yamamoto, H. Furuita (Mie, Japan) and T. Abe (Saitama, Japan) 182
- The stimulatory effects of long wavelengths of light on the ovarian development in the tropical damselfish, *Chrysiptera cyanea*
M.A.J. Bapary, Md.N. Amin, Y. Takeuchi and A. Takemura (Okinawa, Japan) 188
- Effects of salinity and temperature on the growth, survival, whole body osmolality, and expression of Na⁺/K⁺ ATPase mRNA in red porgy (*Pagrus pagrus*) larvae
A.D. Ostrowski, W.O. Watanabe, F.P. Montgomery, T.C. Rezek, T.H. Shafer (Wilmington, NC, USA) and J.A. Morris Jr. (Beaufort, NC, USA) 193

Developmental expression pattern of the <i>Fc-vasa-like</i> gene, gonadogenesis and development of germ cell in Chinese shrimp, <i>Fenneropenaeus chinensis</i> Z.-F. Feng, Z.-F. Zhang, M.-Y. Shao and W. Zhu (Qingdao, China)	202
The effect of rhythmic light color fluctuation on the molting and growth of <i>Litopenaeus vannamei</i> B. Guo (Qingdao, Qinhuangdao, People's Republic of China), F. Wang, S. Dong and Q. Gao (Qingdao, People's Republic of China)	210
Amino acid mobilization and growth of juvenile <i>Octopus maya</i> (Mollusca: Cephalopoda) under inanition and re-feeding A. George-Zamora (Yucatán, Mexico), M.-T. Viana (Baja California, Mexico), S. Rodríguez, G. Espinoza and C. Rosas (Yucatán, Mexico)	215
Spermatozoa of the teleost fish <i>Perca fluviatilis</i> (perch) have the ability to swim for more than two hours in saline solutions F. Lahnsteiner (Salzburg, Austria)	221

Production Science

Enhancing benefits from polycultures including tilapia (<i>Oreochromis niloticus</i>) within integrated pond-dike systems: A participatory trial with households of varying socio-economic level in rural and peri-urban areas of Bangladesh M. Karim (Dhaka, Bangladesh; Stirling, UK), D.C. Little (Stirling, UK), Md.S. Kabir (Gulshan, Bangladesh), M.J.C. Verdegem (The Netherlands), T. Telfer (Stirling, UK) and Md.A. Wahab (Mymensingh, Bangladesh)	225
Feeding behavior of the mussel <i>Mytilus galloprovincialis</i> (L.) in a Mediterranean estuary: A field study E. Galimany (Barcelona, XRAq, Spain), M. Ramón (Barcelona, Palma, XRAq, Spain) and I. Ibarrola (Bilbao, Spain)	236
Feeding activity of mussels (<i>Mytilus edulis</i>) held in the field at an integrated multi-trophic aquaculture (IMTA) site (<i>Salmo salar</i>) and exposed to fish food in the laboratory B.A. MacDonald (Saint John, NB, Canada), S.M.C. Robinson (St. Andrew's, NB, Canada) and K.A. Barrington (Saint John, NB, Canada)	244
Feasibility of intertidal bottom culture of the penshell <i>Atrina maura</i> in Bahía Magdalena, Baja California Sur, Mexico T. Mendo (Bremen, Germany), V. Koch (La Paz, Mexico), M. Wolff (Bremen, Germany; Quito, Ecuador), F. Sínzel and C. Ruiz-Verdugo (La Paz, Mexico)	252
Bioeconomic modeling and risk analysis of raising shrimp <i>Litopenaeus vannamei</i> in floating cages in northwestern Mexico: Assessment of hurricane hazard, stochastic variability of shrimp and feed prices, and zootechnical parameters A. Hernandez-Llamas (La Paz, Mexico) and M. Zarain-Herzberg (Sinaloa, Mexico)	261
Effect of water motion on the cultivation of the commercial seaweed <i>Undaria pinnatifida</i> in a coastal bay of Galicia, Northwest Spain C. Peteiro (Santander, Spain) and Ó. Freire (Coruña, Spain)	269

Short Communications

Is avoiding full sib matings really worthwhile in a breeding program? M. Dupont-Nivet (Jouy-en-Josas, France) and M. Vandeputte (Jouy-en-Josas, Palavas-les-Flots, France)	277
Self-selection of diets with different oil oxidation levels in gilthead seabream (<i>Sparus aurata</i>) A. Montoya (Murcia, Spain), D.A. Martins (Faro, Portugal; Cádiz, Spain), M. Yúfera (Cádiz, Spain) and F.J. Sánchez-Vázquez (Murcia, Spain)	282

Erratum

Erratum to "Prediction of fillet weight, fillet yield, and fillet fat for live river catfish (<i>Pangasianodon hypophthalmus</i>)" [Aquaculture 288 (2009) 166–171] N. Van Sang (Ås, Norway; Ho Chi Minh City, Viet Nam), M. Thomassen, G. Klemetsdal and H.M. Gjøen (Ås, Norway)	285
---	-----

